



WOODBURNING • MULTI-FUEL • GAS • ELECTRIC

CAST IRON STOVES & FIREPLACES







# Cast Iron Performance

Dovre takes its company name from a range of Norwegian mountains, and has more than 60 years' experience in manufacturing stoves and fireplaces for the harshest of Arctic winters.



# The Dovre Range...

## Traditional Wood & Multi-fuel Stoves.....06 - 19

A comprehensive collection of classically designed stoves, offering the unmistakable atmosphere of a real log or smokeless fuelled fire. From the compact 250 to the grander 760CB, that true traditional ambience can be perfectly attained in rooms of all sizes.



Dovre 250

## Contemporary Wood & Multi-fuel Stoves.....20 - 53

Pairing the latest firebox technology with distinctive, modern styling, Dovre offer an extensive range of contemporary stoves. Constructed from cast iron, these advanced stoves feature Cleanburn and Airwash systems for superb flame visuals and efficient heating. Available in a broad range of shapes and sizes, many models are offered in different versions with the choice of side viewing windows, different stand and base options as well as designer colour finishes.



Sense

## Contemporary Wood & Multi-fuel Cassette Fireplaces.....54 - 59

Designed to create a striking centrepiece at the very heart of your home, Dovre cassette fireplaces impress with their high levels of heating efficiency and clean geometric lines.



Zen

## Traditional Wood & Multi-fuel Insert & Canopied Fireplaces.....60 - 67

This collection of fireplaces can be built either into a fireplace or combined with optional canopies to create a stunning centrepiece for larger fireplace openings and inglenooks.



Dovre 1800

## Traditional Gas Stoves .....68 - 71

With their traditional styling, Dovre Gas stoves combine the classic atmosphere of a real log or coal stove with the added convenience and ease of a modern gas fire.



Dovre 425 Gas

## Traditional Electric Stoves .....72 - 75

With individually hand-painted logs, unique VeriFlame™ technology and a full remote control, a Dovre Electric stove will always be a pleasure to come home to.



Dovre 425 Electric



# The Dovre Difference...

## Durable and Reliable

Cast iron has many advantages – durability, better heat retention and longevity, as well as the ability to be crafted into a huge variety of shapes and textures, giving aesthetic beauty and immediate appeal whether your interior style is traditional or contemporary.

Over the decades, Dovre's product range has been continuously developed and refined. Today, its woodburning and multi-fuel stoves offer advanced Cleanburn technology for improved combustion efficiency and care for the environment. Its Airwash systems help keep the door glass clean, whilst there are also many models fuelled with the convenience of gas or electricity.

Whatever your choice - wood, multi-fuel, gas or electric - your Dovre stove or fireplace will be reliable and beautifully built to the uncompromising standards you would expect from our Scandinavian heritage.

## Wood and Multi-fuel Stoves and Fireplaces

Dovre stoves and fires are designed to burn wood and smokeless fuels and have been independently tested to exacting standards for safety, heating efficiency and emissions. The 250, 225, 425, 525, 500, Vintage and Sense models have also been approved for the burning of wood in Smoke Control areas\*.



**Wood** – Wood is the better fuel in environmental terms being carbon neutral, as the amount of carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth. It is also a renewable resource, particularly when derived from plantations and cultivated woodland. For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%<sup>1</sup>. This will not only give up to twice the output of freshly felled timber but help avoid a build up of tar in your flue. Furthermore, if you can obtain hardwood logs this is better still, as they will have around twice the calorific value of softwoods, of equivalent weight.



**Solid fuels** – anthracite and manufactured smokeless fuels can be burnt on multi-fuel models which feature a fixed or riddling grate. Please note, however, that bituminous coal or petroleum based fuels must never be used on your stove.



## Gas Stoves



All Dovre gas stoves are available with natural gas or LPG and, depending on model, feature a highly realistic coal or log effect fire. These highly efficient stoves are available as manual operation and have the option to upgrade to either a standard remote, allowing heat regulation once the pilot light has been lit manually, or a programmable remote with additional thermostatic and timer controls.

## Electric Stoves

A Dovre electric stove can be as easy to install as plugging in and switching on! All models feature our unique VeriFlame™ technology with low energy LED illumination and hand painted fuel bed. With the heater discreetly located underneath, plus a remote control allowing you to adjust the heat between off, 1kW and 2kW in addition to the VeriFlame™ effects which can run without any heat at all.



## Warranty Information

Your Dovre retailer will provide you with a Five Year Warranty for your new stove castings and a Two Year Warranty on steel parts and gas and electric 'engines' used in stoves and fires. Full details are on our website at [www.dovre.co.uk](http://www.dovre.co.uk)



\*250, 425, 225, 525, Vintage & Sense stoves are approved when fitted with a Smoke Control Kit.

<sup>1</sup>All efficiencies quoted in this brochure are for seasoned wood with a moisture content of less than 20%





## Expert Retailer Network

We take great care to ensure that our stoves and fireplaces are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design; and ensure that you select the most appropriate product for your home. They will also be able

to advise on or assist with the installation process as well as help provide any after-sales support and servicing of your appliance that you may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.



Astroline 3CB with Pedestal.  
Shown with Triangular Black log holder available from Stovax.

# 250

## Multi-Fuel & Wood Stoves



Dovre 250CBW with short leg option

### PRODUCT CODES

DV-250CBS	Matt Black woodburner with Cleanburn and Airwash systems
DV-250CBW	Matt Black woodburner/smokeless fuel with Cleanburn and Airwash systems
DV-250	Matt Black multi-fuel with riddling grate and Airwash system
DV-250IWH	Ivory White enamel multi-fuel with riddling grate and Airwash system
DV250SCKIT	Smoke control kit

### FINISHES



Traditional  
Matt Black



Ivory White  
enamel

The Dovre 250 multi-fuel is designed to suit a huge range of applications from a cottage kitchen to a modern town-house living room, especially as it is approved for smoke control areas. It has a large glass door panel and ornately cast side panels both adding to the visual appeal. Manufactured from only premium grade cast iron, the 250 is at home whether burning wood (logs up to 30cm long may be used) or a variety of solid fuels, and is equipped with a sophisticated Airwash system to keep the door glass cleaner. Matt Black woodburning and woodburning/smokeless fuel versions with Cleanburn for improved heating efficiency are also available. Shorter legs are an option on the 250CBW model.

- All cast iron construction
- Woodburning or multi-fuel versions
- Airwash system
- DV-250 approved for Smoke Control Areas†
- Colour matched enamel flue pipe also available
- Nominal heat output: 5kW
- Heat output range: 2 - 7kW
- High efficiency: up to 77%
- Top or rear flue exit
- Flue diameter: 125mm
- Maximum log length: 33cm
- Weight: 79kg

†When fitted with a Smoke Control Kit

See Ivory White enamel finish on page 80







# 425

## Multi-Fuel & Wood Stoves



Dovre 425 multi-fuel stove in traditional Matt Black

### PRODUCT CODES

DV-425CBW	Matt Black woodburner with Cleanburn and Airwash
DV-425	Matt Black multi-fuel with riddling grate and Airwash system
DV-425IWH	Ivory White enamel multi-fuel with riddling grate and Airwash system
DV425SCKIT	Smoke control kit

### FINISHES



Traditional  
Matt Black



Ivory White  
enamel

Available in either traditional Matt Black or Ivory White enamel finishes, the Dovre 425 has the style and performance to bring a warming glow to many a home. The woodburning version features Dovre's latest Cleanburn system whilst the multi-fuel version, complete with riddling grate, is capable of burning a variety of solid fuels or logs and incorporates an Airwash system to help keep the window clean. Additionally the woodburning model is suitable for use in Smoke Control Areas<sup>†</sup> meaning the most urban of homes can benefit from this highly efficient stove.

See front cover and page 2 for additional images.

- All cast iron construction
- Woodburning or multi-fuel versions
- Airwash system
- DV-425CBW approved for Smoke Control Areas<sup>†</sup>
- Colour matched enamel flue pipe also available
- Nominal heat output: 8kW
- Heat output range: 2.7 - 10kW
- High efficiency: up to 83%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 40cm
- Weight: 130kg
- Gas and Electric versions also available, see pages 70 - 71 and 74 - 75

<sup>†</sup>When fitted with a Smoke Control Kit. Subject to official listing.







Dovre 425 multi-fuel stove in Ivory White enamel

Dovre 640CB woodburning stove. Shown with Claremont antique white marble mantel available from Stovax.







# 640CB

## Woodburning Stove

This well-proportioned stove features a side loading door as well as a front glass door and separate ashpan door. The side door allows logs of up to 50cm in length to be loaded into the stove so that less sawing is required when owners are providing their own timber. There is also a Cleanburn system for improved fuel efficiency, an Airwash system to help keep the door glass clean and a choice of top or rear flue outlets.

- All cast iron construction
- Woodburner
- Cleanburn and Airwash system
- Side door for loading
- Nominal heat output: 9kW
- Heat output range: 3 - 11kW
- High efficiency: up to 79%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 50cm
- Weight: 158kg



Dovre 640CB woodburning stove

### PRODUCT CODES

DV-640CBW Matt Black woodburner with Cleanburn and Airwash

### FINISHES



Traditional  
Matt Black



# 760CB

## Woodburning Stove



Dovre 760CB

### PRODUCT CODES

DV-760CBW Matt Black woodburner with Cleanburn and Airwash

DV-AIRKIT-K01 Outside air kit

### FINISHES



Traditional  
Matt Black

Big brother to the Dovre 640CB, the 760CB is a truly impressive stove. It features Cleanburn and Airwash systems, a side loading door as well as a glass front door, separate ashpan door and up to 11kW of heat. The side door allows logs of up to 60cm to be loaded - so there is less sawing if you are using your own wood.

- All cast iron construction
- Woodburner
- Cleanburn and Airwash system
- Side door for loading
- Nominal heat output: 11kW
- Heat output range: 3.7 - 13kW
- High efficiency: up to 75%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 60cm
- Weight: 180kg







# 225

## Multi-Fuel & Wood Stoves



Dovre 225 woodburning in Anthracite

### PRODUCT CODES

- DV-225CBS Anthracite woodburner with Cleanburn and Airwash systems
- DV-225MF Anthracite multi-fuel with riddling grate and Airwash system
- DV-225SCKIT Dovre 225, Smoke Control Area Kit (suitable for DV-225MF)

### FINISHES



Anthracite

New to the Dovre range of woodburning and multi-fuel stoves is the distinctive 225. Featuring a square firebox, subtle curving details and compact dimensions, the Dovre 225 is a versatile yet powerful stove that offers style and quality in equal measure.

With a 1950's inspired design, unique detailing and stylish Anthracite finish, the 225 has a fresh look that is at home in both modern and traditional interiors. Incorporating the latest Cleanburn and Airwash technology, this highly efficient stove provides an excellent view of the flame picture through its glass window. The 225 really does combine the best of the past with the technological advancements of the present.

- All cast iron construction
- Woodburning or multi-fuel versions
- Airwash and Cleanburn systems
- Nominal heat output: 5kW
- Heat output range: 1.7 - 7kW
- High efficiency: up to 83%
- DV-225MF approved for Smoke Control Areas\*
- Top or rear flue exit
- Flue diameter: 125mm
- Maximum log length: 30cm
- Weight: 100kg (WB) / 118kg (MF)

\* When fitted with a Smoke Control Kit



APPROVED FOR SMOKE CONTROL AREAS









Dovre 525 woodburning stove in Anthracite. Shown with Brompton wooden mantel in white available from Stovax.





# 525

## Multi-Fuel & Wood Stoves

The Dovre 525 is an attractive modern-traditional stove with a 1950's inspired design and outstanding heating efficiency. The tall elegant legs and refined reeding in the side panels accentuate the portrait lines of the firebox creating a real centre piece in your living space. Complemented by distinctive features including the designer door lever, the 525 combines a quality cast iron construction with striking aesthetics.

Available in a smart Anthracite finish, the 525 provides plenty of ambient heat as well as beautiful views of the flames through the generous window that is kept clean and clear by the latest Cleanburn and Airwash technology.

- All cast iron construction
- Woodburning or multi-fuel versions
- Airwash and Cleanburn systems
- Nominal heat output: 7kW
- Heat output range: 2.3 - 9kW
- High efficiency: up to 82%
- DV-525MF approved for Smoke Control Areas\*
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 40cm
- Weight: 120kg (WB)/134kg (MF)

\* When fitted with a Smoke Control Kit




Dovre 525 woodburning in Anthracite

### PRODUCT CODES

- DV-525CBW Anthracite woodburner with Cleanburn and Airwash
- DV-525MF Anthracite multi-fuel with riddling grate and Airwash system
- DV-225SCKIT Dovre 525, Smoke Control Area Kit (suitable for DV-525MF)

### FINISHES



# Tai

## Woodburning and Multi-Fuel Stoves



Tai 35W woodburning stove

### PRODUCT CODES


DV-TAI35-WT	Tai 35W Woodburning, Matt Black stove with Cleanburn and Airwash systems
DV-TAI45-MF	Tai 45M Multi-fuel, Matt Black stove with Cleanburn and Airwash systems
DV-TAI45-W	Tai 45W Woodburning, Matt Black stove with Cleanburn and Airwash systems



### ACCESSORIES

DV-TAI-SLEG Tai Short Leg Kit

### FINISHES

 Traditional Matt Black

Left: Tai 45M Multi-fuel burning logs with optional short legs

A cast iron stove range with a difference; Dovre Tai stoves are powerful heating appliances with a thermostatically controlled heat output.

Tai stoves are offered in either the medium sized, dedicated woodburning 35 model or the larger 45 models, which include both woodburning and multi-fuel versions.

Offering a high degree of installation versatility, both Tai 35 & 45 stoves can be selected with optional short legs for a lower profile, which allows them to be fitted into smaller fireplaces.

With their elegant design and curving details, these versatile stoves can suit both traditional and contemporary interiors and are ideal for those who desire something a little different for their living space.

- All cast iron construction
- Woodburning or multi-fuel models
- Airwash and Cleanburn systems
- Nominal heat output: Tai 35: 6.5kW; Tai 45: 9kW
- Heat output range: Tai 35: 3.5 - 8.5kW; Tai 45: 5 - 11kW
- High efficiency: up to 81%
- Side loading door for Tai 45M multi-fuel
- Optional Short Legs
- Top and rear flue exit (Tai 45M is rear exit only)
- Flue diameter: 150mm
- Max log length: Tai 35: 35cm; Tai 45: 45cm
- Weight: Tai 35W: 100kg; Tai 45W: 140kg; Tai 45M: 170kg





Tai 45W woodburning stove.  
Also shown Highline Log Store  
available from Stovax.









# 100 & 103

## Sense Wood Stoves

The Dovre Sense stoves offer contemporary styling with distinctive curves and an ultra-slim firebox. Providing exceptional flame visuals with their large viewing window, further extended by the additional side windows on the Sense 103, these striking woodburning stoves can bring a heart warming and stylish focal point to any contemporary home.

Incorporating Dovre's high efficiency Cleanburn system, the Sense has a heat output of 4.9kW, the effects of which can be enhanced by utilising the integral outside air connection which can reduce draughts within your room.

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Nominal heat output: 4.9kW
- Heat output range: 2.3 - 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas\*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Choice of four finishes
- Top or rear flue exit
- Short Leg models available (see page 22)
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 105kg - 125kg

\* When fitted with a Smoke Control Kit

See page 88 for Grey Enamel finish



Sense 103 in Gloss Black enamel





### PRODUCT CODES

DV-SENSE100	Sense 100 with legs, Cleanburn and Airwash - Matt Black
DV-SENSE100PW	Sense 100 with legs, Cleanburn and Airwash - Pure White enamel
DV-SENSE100GB	Sense 100 with legs, Cleanburn and Airwash - Gloss Black enamel
DV-SENSE100GY	Sense 100 with legs, Cleanburn and Airwash - Grey enamel
DV-SENSE103	Sense 103 with side windows, legs, Cleanburn and Airwash - Matt Black
DV-SENSE103PW	Sense 103 with side windows, legs, Cleanburn and Airwash - Pure White enamel
DV-SENSE103GB	Sense 103 with side windows, legs, Cleanburn and Airwash - Gloss Black enamel
DV-SENSE103GY	Sense 103 with side windows, legs, Cleanburn and Airwash - Grey enamel

### ACCESSORIES

DV-SENSESZKIT	Smoke Control Area Kit
DV-HS-SENSE	Heat Shield Kit (see page 79)

### FINISHES

			
Matt Black	Grey enamel	Gloss Black enamel	Pure White enamel





Sense 113 in Pure White Enamel. Also shown Triangular Log Holder from Stovax.





# 110 & 113

## Sense Wood Stoves

The Dovre Sense 110 and 113 stoves have the signature ultra-contemporary styling, slim proportions and subtle curves of the Sense range, but feature shorter legs that make them a convenient height for a wide range of free standing and inglenook installations.

The 113 features side windows for a stunning, three-sided panoramic flame display, and is available in either Pure White enamel or Matt Black finishes. Alternatively you can choose the 110 with solid steel sides, which is available in Matt Black.

Both stoves offer a generous 4.9kW heat output at 79.5% efficiency, making for a high performance heating solution as well as an eye-catching centrepiece whichever you choose.

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Nominal heat output: 4.9kW
- Heat output range: 2.3 - 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas\*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Long Leg models available (see page 20)
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 100kg

\*When fitted with a Smoke Control Kit



Sense 110 in Matt Black

### PRODUCT CODES

- |               |  |
|---------------|--|
| DV-SENSE110   | Sense 110 with short legs, Cleanburn and Airwash - Matt Black                      |
| DV-SENSE113   | Sense 113 with short legs, side windows, Cleanburn and Airwash - Matt Black        |
| DV-SENSE113PW | Sense 113 with short legs, side windows, Cleanburn and Airwash - Pure White enamel |

### ACCESSORIES

- |               |                               |
|---------------|-------------------------------|
| DV-SENSESZKIT | Smoke Control Area Kit        |
| DV-HS-SENSE   | Heat Shield Kit (see page 79) |

### FINISHES



Matt Black



Pure White enamel  
(Sense 113 only)









# 200 & 203

## Sense Wood Stoves

With subtle curving details, the Sense 200 and 203 feature the same compact firebox styling as the 100 and 103 but with a striking box-mounted design that is sure to make a big impact in both traditional and contemporary homes alike. You can accentuate your individual style by choosing from four sophisticated matt and enamel finishes.

The Sense 200 offers the traditional simplicity of cast iron sides, whereas the Sense 203 adds sensational side windows to further enhance the view of the beautiful, rolling flames.

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Nominal heat output: 4.9kW
- Heat output range: 2.3 - 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas\*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Choice of four finishes
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 105kg - 125kg

\* When fitted with a Smoke Control Kit

Also see image on front cover and page 88



Sense 200 in Matt Black. Shown with Stovax contemporary fire tools and wall bracket.

### PRODUCT CODES

DV-SENSE200	Sense 200 box mounted, Cleanburn and Airwash - Matt Black
DV-SENSE200PW	Sense 200 box mounted, Cleanburn and Airwash - Pure White enamel
DV-SENSE200GB	Sense 200 box mounted, Cleanburn and Airwash - Gloss Black enamel
DV-SENSE200GY	Sense 200 box mounted, Cleanburn and Airwash - Grey enamel
DV-SENSE203	Sense 203 box mounted, with side windows, Cleanburn and Airwash - Matt Black
DV-SENSE203PW	Sense 203 box mounted, with side windows, Cleanburn and Airwash - Pure White enamel
DV-SENSE203GB	Sense 203 box mounted, with side windows, Cleanburn and Airwash - Gloss Black enamel
DV-SENSE203GY	Sense 203 box mounted, with side windows, Cleanburn and Airwash - Grey enamel
DV-SENSESZKIT	Smoke Control Area Kit
DV-HS-SENSE	Heat Shield Kit (see page 79)

### FINISHES



Matt Black



Grey enamel



Gloss Black enamel



Pure White enamel









# 30

## Vintage Wood Stoves

With its compact lines and nostalgic retro style, the Vintage 30 may be the smallest in the new Vintage range, but this compact stove will always make a big impact.

The Vintage 30 has been designed with Dovre's Airwash technology to keep your window clean, so you can enjoy the beautiful rolling flame picture to its full potential.

Available in a choice of Anthracite, White Enamel or Grey Enamel finishes, the Vintage 30 is supported by four cylindrical legs that match your chosen finish. Alternatively, for something extra special, opt for the tablet stand to increase the visual impact.

- All cast iron construction
- Woodburner
- Airwash system
- Cleanburn technology
- Approved for Smoke Control Areas\*
- Nominal heat output: 5kW
- Heat output range: 1.7 - 7kW
- High efficiency: up to 80%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 30cm
- Weight: 95kg

\*When fitted with a Smoke Control Kit



Dovre Vintage 30 in Anthracite

### PRODUCT CODES

DV-VIN30	Anthracite woodburner with Cleanburn and Airwash
DV-VIN30WH	White enamel woodburner with Cleanburn and Airwash
DV-VIN30GY	Grey enamel woodburner with Cleanburn and Airwash
DV-TBIN30	Anthracite tablet stand
DV-TBIN30WH	White enamel tablet stand
DV-TBIN30GY	Grey enamel tablet stand
DV-VINSCKIT	Smoke Control Kit

### FINISHES



Anthracite



White enamel



Grey enamel



# 35

## Vintage Wood Stoves



Dovre Vintage 35 in Anthracite with tablet stand. Shown with Stovax contemporary toolset.

### PRODUCT CODES

DV-VIN35	Anthracite woodburner with Cleanburn and Airwash
DV-VIN35WH	White enamel woodburner with Cleanburn and Airwash
DV-VIN35GY	Grey enamel woodburner with Cleanburn and Airwash
DV-TBIN35	Anthracite tablet stand
DV-TBIN35WH	White enamel tablet stand
DV-TBIN35GY	Grey enamel tablet stand
DV-VINSCKIT	Smoke Control Kit

### FINISHES



Anthracite

White  
enamel

Grey  
enamel

The high efficiency Vintage 35 has a contemporary design which echoes the smooth, distinctive style of appliances from the 1960s and '70s.

The state of the art Cleanburn combustion system and outstanding glass cleaning effects of the Airwash deliver an impressive flame picture to create the perfect atmosphere in your home. Available in a choice of sophisticated Anthracite or on-trend White or Grey enamel finishes, with four cylindrical legs or a stunning tablet stand, there is a Vintage 35 woodburning stove to complement any stylish interior.

- All cast iron construction
- Woodburner
- Airwash system
- Cleanburn technology
- Approved for Smoke Control Areas\*
- Nominal heat output: 7kW
- Heat output range: 2.3 - 9kW
- High efficiency: up to 83%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 125kg

\*When fitted with a Smoke Control Kit

Also see picture on page 91







Dovre Vintage 35 in White enamel.  
Shown with Stovax Ivory Enamelled flue pipe.







# 50

## Vintage Wood Stoves

The Vintage 50 is the largest woodburning stove in the Vintage range and has a wide, landscape window through which to enjoy the captivating, rolling flames created by Dovre's Cleanburn system, so efficient that it has approved it for use in Smoke Control Areas\*.

With 9kW of heating power, the Vintage 50 has the capacity to heat large rooms with ease. Its designer retro looks are perfectly complemented by a choice of Anthracite, Grey enamel or White enamel finishes creating a striking focal point for any interior space. The Vintage 50 is supported by four cylindrical legs, or to make an even bigger style statement, display it on the optional tablet stand.

- All cast iron construction
- Woodburner
- Airwash system
- Cleanburn technology
- Approved for Smoke Control Areas\*
- Nominal heat output: 9kW
- Heat output range: 3 - 11kW
- High efficiency: up to 84%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 50cm
- Weight: 155kg

\*When fitted with a Smoke Control Kit



Dovre Vintage 50 in Anthracite with tablet stand

### PRODUCT CODES

DV-VIN50	Anthracite woodburner with Cleanburn and Airwash
DV-VIN50WH	White enamel woodburner with Cleanburn and Airwash
DV-VIN50GY	Grey enamel woodburner with Cleanburn and Airwash
DV-TBIN50	Anthracite tablet stand
DV-TBIN50WH	White enamel tablet stand
DV-TBIN50GY	Grey enamel tablet stand
DV-VINSCKIT	Smoke Control Kit

### FINISHES



Anthracite



White enamel



Grey enamel





Brut in Matt Black with Pure White Enamel Door. Shown with Stovax contemporary fire tools and wall bracket.





# Brut

## Wood Stoves

One of the most striking models in the Dovre range, the Brut is a designer stove that couples avant-garde styling with solid construction, presented in either Matt Black or Pure White enamel finishes.

The vermiculite lined firebox is housed in a cast iron body with distinctive, angled top plate, allowing the stove to radiate heat long after the flames have died down. The stove's portrait profile is accented by eye-catching, lateral ridges that run around the back of the stove body and establish a heavy, industrial style with clear Art-Deco influences.

With its 6.5kW heat output and a 78% efficiency rating, the Brut is not only a statement stove but also a practical heating solution for your home.

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Nominal heat output: 6.5kW
- Heat output range: 4.5 - 8.5kW
- High efficiency: up to 78%
- Matt Black or Pure White Enamel door finishes
- Top flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 105kg



Brut in Matt Black

### PRODUCT CODES

- DV-BRUT Brut woodburning stove in Matt Black  
 DV-BRUTPW Brut woodburning stove in Matt Black with Pure White enamel door

### DOOR FINISHES



Matt Black



Pure White enamel



# 300

## Bold Wood Stoves



Bold 300 in Pure White Enamel

### PRODUCT CODES

- DV-BOLD300 Bold 300, Matt Black on legs  
DV-BOLD300PW Bold 300, Pure White enamel on legs  
DV-BOLD300GY Bold 300, Grey enamel on legs

### FINISHES



Matt  
Black



White  
enamel



Grey  
enamel



Minimalist Nordic styling abound, the Bold 300 offers a truly contemporary take on the principle of the woodburning stove. Featuring a tall firebox with a curved viewing window, the 300 rests on a four-point stand and is available in Matt Black, Pure White Enamel or Grey Enamel finishes.

Generating superb flame visuals with an ample 7kW of heat, the Bold stove range employs advanced Cleanburn and Airwash technology, burning at up to 80% efficiency. This stunning stove range also includes the taller 400 (shown overleaf).

- All cast iron construction
- Woodburner
- Airwash system
- Cleanburn technology
- Nominal heat output: 7kW
- Heat output range: 2.3 - 9 kW
- High efficiency: up to 80%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 130kg











# 400

## Bold Wood Stoves

The 7kW woodburning Bold 400 features the range's tall firebox and expansive viewing window, offering a stunning flame picture thanks to the stove's powerful Airwash technology. Constructed entirely from cast iron, the Bold 400 is available in Matt Black, Pure White Enamel or Grey Enamel finishes. Sharing the same firebox and technology as the Bold 400, the 300 (shown on pages 34-35) features a four-point stand for a striking alternative to this stylish stove.



Bold 400 in Pure White enamel

- All cast iron construction
- Woodburner
- Airwash system
- Cleanburn technology
- Nominal heat output: 7kW
- Heat output range: 2.3 - 9 kW
- High efficiency: up to 80%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 145kg

#### PRODUCT CODES

- DV-BOLD400 Bold 400, Matt Black  
 DV-BOLD400PW Bold 400, Pure White enamel  
 DV-BOLD400GY Bold 400, Grey enamel

#### FINISHES



Matt Black



White enamel



Grey enamel

Please see page 83 for Grey enamel model.



# 350

## Rock Wood Stoves



Rock 350 with tablet stand

### PRODUCT CODES

- DV-ROCK350 Rock 350 on legs  
DV-ROCK350TB Rock 350 with tablet stand  
DV-ROCK350WB Rock 350 with wood box



### FINISH



Matt Black

Left: Rock 350 on legs



The stylish Rock 350 woodburning stove features advanced combustion technology, producing a generous 7kW output at 80% efficiency. The stove's curved, cast iron sides can be complemented with various stand options including legs, tablet or a matching integral wood store. Accenting the stove's Matt Black exterior, the polished stainless steel pebble handle provides easy door opening, and can also be detached to function as a cool-touch handle if desired.

- All cast iron construction
- Woodburner
- Airwash system
- Cleanburn technology
- Nominal heat output: 7kW
- Heat output range: 2.3 - 9 kW
- High efficiency: up to 80%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 110 - 125kg











# Bow

## Wood Stoves

Impressive flame visuals and a strong presence ensure this woodburning Bow makes a designer statement in any interior. Featuring an expansive landscape window set into the stove's cast iron, elliptical body, the Bow offers superb view of the fire. Versatile base options include a pedestal base, tablet stand or integrated log store with each lending a different feel to this stylish stove.

Providing a highly efficient, 9kW heat output, this large format contemporary stove is a great choice for larger living spaces and open plan layouts.

- All cast iron construction
- Woodburner
- Airwash system
- Cleanburn technology
- Nominal heat output: 9kW
- Heat output range: 3 - 11 kW
- High efficiency: up to 75%
- Top flue exit
- Flue diameter: 150mm
- Maximum log length: 50cm
- Weight: 125 - 140kg



Bow with wood box

### PRODUCT CODES

DV-BOW	Bow on legs
DV-BOW/P	Bow, with pedestal
DV-BOW/WB	Bow, with wood box



### FINISH



Matt Black

Left: Bow on legs



# 2CB

## Astroline Wood Stoves



Astroline 2CB

### PRODUCT CODES

DV-ASTRO2/L Anthracite coloured woodburner with anthracite side panels, Cleanburn, Airwash system and external air connection

### FINISHES



Anthracite

The Astroline 2CB features the latest Cleanburn and Airwash technology for impressive heating performance and efficiency. The large ceramic glass panel also provides the superb views and comforting ambience that only a real log fire can bring. For draught reduction, there is a model with built in external air connection which, if required, can be used to draw combustion air directly into the appliance, not from the room, but from outside.

Pedestal and wood store versions are also available - please see pages 44 - 45.

- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- External Air Supply
- Nominal heat output: 7kW
- Heat output range: 2.3 - 9kW
- High efficiency: up to 78%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 140kg







# 2CB

## Astroline Wood Stoves



Astroline 2CB with pedestal. Shown with Stovax Ironworks loop tools & medium contemporary log holder

### PRODUCT CODES

- DV-ASTRO2/P Anthracite coloured woodburner with pedestal base, Cleanburn, Airwash and external combustion air connection
- DV-ASTRO2/WB Anthracite coloured woodburner with wood store base, Cleanburn, Airwash and external combustion air connection

### FINISHES



Anthracite

Retaining the same firebox characteristics, heat output and high efficiency of the original 2CB, the Pedestal and Wood Store variants offer two more styling options to attract the eye and make a bigger impact in the room. Whether for taller inglenooks or to stand proudly in the centre of a wall, the stylish 2CB stoves have the versatility to match and punctuate your own contemporary tastes.

For draught reduction, both models have a built in external air connection which, if required, can be used to draw combustion air directly into the appliance from outside rather than from the room.

- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- External Air Supply
- Nominal heat output: 7kW
- Heat output range: 2.3 - 9kW
- High efficiency: up to 78%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 158kg













# 3CB & MF

## Astroline Wood & Multi-fuel Stoves

With sleek and contemporary styling, Dovre's new Astroline 3 not only offers you an exceptional view of the fire but also a choice of two distinctive variants as well as either woodburning or multi-fuel versions of each. The state-of-the-art Cleanburn combustion system provides stunning flames within the firebox and these can be seen from more than 180° thanks to the angled glass side panels and the large main window. Combustion and efficiency is also aided by an external air connection which can reduce draughts within your room.

Choose from the Astroline 3CB with a pedestal or, alternatively, the design with a 'wood store' base.

- All cast iron construction
- Woodburning or multi-fuel versions
- Cleanburn and Airwash system
- External Air Supply
- Nominal heat output: 8kW
- Heat output range: 2.5 - 10kW
- High efficiency: up to 75%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 158 - 171kg

Also see image on page 5




Astroline 3CB with pedestal

### PRODUCT CODES

DV-ASTRO3CB/P	Anthracite coloured woodburner with pedestal base, Cleanburn and external combustion air connection
DV-ASTRO3CB/WB	Anthracite coloured woodburner with wood store base, Cleanburn and external combustion air connection
DV-ASTRO3MF/P	Anthracite coloured multi-fuel with pedestal base, riddling grate, Cleanburn and external combustion air connection
DV-ASTRO3MF/WB	Anthracite coloured multi-fuel with wood store base, riddling, Cleanburn and external combustion air connection
DV-HSF3.2	Heat shield (see page 79)*

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

### FINISHES



Anthracite



# 4CB & MF

## Astroline Wood & Multi-fuel Stoves



Astroline 4MF with pedestal. Shown with large contemporary log holder

### PRODUCT CODES

DV-ASTRO4CB/P	Anthracite coloured woodburner with pedestal base, Cleanburn and external air connection
DV-ASTRO4CB/WB	Anthracite coloured woodburner with wood store base, Cleanburn and external air connection
DV-ASTRO4MF/P	Anthracite coloured multi-fuel with pedestal base, riddling grate, Cleanburn and external air connection
DV-ASTRO4MF/WB	Anthracite coloured multi-fuel with wood store base, riddling, Cleanburn and external air connection
DV-HSF4.1	Heat shield (see page 79)*

\*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

### FINISHES



Anthracite



Similar in looks to the Astroline 3CB, this model is also available in either woodburning or multi-fuel versions and with a choice of pedestal or wood store bases.


Featuring an extensive front window and glass side panels, you are able to enjoy to the full the exceptional swirling flames produced by Dovre's very latest Cleanburn system. An external air supply facility also helps to reduce draughts in the room as well as improve heating efficiency - and with up to 10kW of warmth that's a very cosy thought for any winter's night!

- All cast iron construction
- Woodburning or multi-fuel versions
- Cleanburn and Airwash systems
- External Air Supply
- Nominal heat output: 8kW
- Heat output range: 2.5 - 10kW
- High efficiency: up to 75%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 168 - 181kg





Astroline 4CB with wood store







# 350CB

## Astroline Wood Stoves

Designed to complement the most modern architecture and interior design, the Astroline 350CB brings its own unique style to the traditional world of stoves. The large flame view area, particularly on the version that has glass side panels, and sophisticated Cleanburn will provide you with the home heating pleasure for which Dovre is famed.

- All cast iron construction
- Woodburner
- Cleanburn and Airwash system
- Nominal heat output: 7kW
- Heat output range: 2.3 - 9kW
- High efficiency: up to 81%
- Top or rear flue exit
- Flue diameter: 125mm
- Maximum log length: 33cm
- Weight: 110kg



Astroline 350CB/3

### PRODUCT CODES - ASTROLINE 350CB

DV-350CBW Anthracite coloured woodburner with Cleanburn and Airwash system

### PRODUCT CODES - ASTROLINE 350CB/3

DV-350CB/3 Anthracite coloured woodburner with glass side panels, Cleanburn & Airwash system

### FINISHES



Anthracite









# 360CB

## Astroline Wood Stoves

Wider than the Astroline 350CB, and with additional heating capacity, this superb stove also features Dovre's very latest Cleanburn and Airwash technology. So you will enjoy an impressive view of the flames - even more so with the 3 sided version - as well as all the comforts of a real fire.



Astroline 360CB/3

- All cast iron construction
- Woodburner
- Cleanburn and Airwash system
- Nominal heat output: 7kW
- Heat output range: 2.3 - 9kW
- High efficiency: up to 74%
- Top or rear flue exit
- Flue diameter: 125mm
- Maximum log length: 40cm
- Weight: 110kg

### PRODUCT CODES - ASTROLINE 360CB

DV-360CBW Anthracite coloured woodburner with Cleanburn and Airwash system

### PRODUCT CODES - ASTROLINE 360CB/3

DV-360CB/3 Anthracite coloured woodburner with glass side panels, Cleanburn & Airwash system

### FINISHES



Anthracite







# Zen 100

## Woodburning Cassette

Compact yet powerful, this stunning woodburning cassette pairs cutting-edge technology with an attractive design. The Zen 100 allows you to enjoy the rolling flames to maximum effect, as the recessed combustion chamber conceals the fuel bed, allowing a fuller flame visual. The latest Cleanburn and Airwash technology also provides a clean and clear window.

With an efficiency of 80% and a heat output of 5kW, the Zen 100 is ideal for well-insulated homes, yet any living space can benefit from the beauty of this innovative cassette fire.



The Zen 100 recessed combustion chamber ensures beautiful flame views

### PRODUCT CODES

DV-ZEN100 Matt Black woodburning cassette fire with Cleanburn and Airwash systems

### FINISHES

 Traditional Matt Black



- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- Easy to operate with one air slide
- External air supply
- Nominal heat output: 5kW
- Heat output range: 2 - 7kW
- High efficiency: up to 80%
- Top flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 100kg
- Double sided version also available - see pages 56 - 57

Zen 100 cassette fire. Shown with Rovere Wood Effect Tile Surround available from Stovax.

# Zen 102

## Double Sided Woodburning Cassette




This outstanding, double-sided cassette combines big impact with compact dimensions. The firebox size and 5kW heat output is ideal for linking two smaller living spaces ensuring a fabulous and full flame picture from both sides of the fire. The stunning Zen 102 is made yet more attractive by its recessed combustion chamber below the viewing window (see diagram on page 55).

The shallow firebox depth allows for more flexible installation options than standard duplex fires, making it perfect for creating a striking focal point in a variety of rooms, and with easy opening doors on both sides and a simple single air control, the Zen 102 allows for effortless operation.

### PRODUCT CODES


DV-ZEN102      Matt Black double-sided woodburning cassette fire with Cleanburn and Airwash systems

### FINISHES

 Traditional Matt Black



- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- Easy to operate with one air slide
- External air supply
- Nominal heat output: 5kW
- Heat output range: 2 - 7kW
- High efficiency: up to 80%
- Top flue exit - flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 115kg
- Single sided version also available - see pages 54 - 55







# 2520

## Wood and Multi-fuel Cassette



2520 Cassette fire with optional 3-sided frame

### PRODUCT CODES

DV-2520BS	Matt Black woodburner with convection system and Airwash system
DV-K20.25/3	Optional 3-sided frame
DV-K2100	Optional multi-fuel basket

### FINISHES

	Traditional Matt Black
--	------------------------

*Note: a standard 13amp domestic electricity supply is also required for this appliance to power the built-in electric fan.*



This large bow-fronted cassette features a sophisticated Airwash system to ensure you enjoy a superbly panoramic view of the fire. Although a dedicated woodburner, the multi-fuel basket option also allows you to burn smokeless fuels should you wish. Whichever your preference, the 2520 will heat your room with a gentle stream of warm convected air or, by using the integral electric fans, a powerful flow of thermostatically-controlled heat.

- All cast iron construction
- Woodburner and multi-fuel option
- Cleanburn and Airwash systems
- Fan-assisted convection system with thermostatic control
- Nominal heat output: 10kW
- Heat output range: 3.33 - 12kW
- High efficiency: up to 80%
- Flue diameter: 150mm
- Maximum log length: 50cm
- Weight: 190kg









Dovre 1800 fireplace with optional canopy, plinth and side panels



# 1800

## Multi-Fuel Fireplace



Dovre 1800 fireplace with optional canopy, plinth and side panels

### PRODUCT CODES

DV-1800W Matt Black multi-fuel

**Accessories** For canopies, base plinths and side panels, see pages 76 & 77

### FINISHES



Traditional  
Matt Black

For smaller fireplaces and rooms, the Dovre 1800 has all the advantages of larger models, including high efficiency and excellent heat output, but with more compact dimensions. The 1800 is also offered with a choice of accessories to help you create your own individual fireplace setting.

- All cast iron construction
- Multi-fuel
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Suitable for use with a room heating convection system
- Maximum heat output: 8kW
- High efficiency: up to 80%
- Flue diameter: 150mm
- Weight: 75kg



# 2000

## Multi-Fuel Fireplace



Dovre 2000 fireplace with optional canopy and side panels

### PRODUCT CODES

DV-2000MFR Matt Black multi-fuel

Accessories For canopies, base plinths and side panels, see pages 76 & 77

### FINISHES



Traditional Matt Black



Intricate depiction of the Billy Goats Gruff tale on high quality inner castings

Complete with integral riddling grate, the Dovre 2000 fireplace has been designed to burn wood or a variety of smokeless fuels.

- All cast iron construction
- Multi-fuel
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Suitable for use with a room heating convection system
- Maximum heat output: 11kW
- High efficiency: up to 71%
- Flue diameter: 186mm
- Weight: 165kg















# 2400CB

## Woodburning Fireplace



Dovre 2400CB showing impressive Panorama door

### PRODUCT CODES

DV-2400CB	Matt Black woodburner with Cleanburn, Airwash and bi-fold doors
DV-2400CBPAN	Matt Black woodburner with Cleanburn, Airwash and Panorama door
Accessories	For canopy and side panels see pages 76 & 77.

### FINISHES

	Traditional Matt Black
--	---------------------------

This model can either be built in to a fireplace or combined with an optional canopy to create a stunning centrepiece for large fireplace openings and inglenooks. With a 9kW capacity and suitable for wood and smokeless fuels, the 2400CB incorporates a state-of-the-art Cleanburn system and is offered in either standard or Panorama versions. The standard model features bi-fold doors with four windows whilst the Panorama has a single door with a large, elegantly curved window for maximum view of your fire.

- All cast iron construction
- Cleanburn woodburner
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Maximum heat output: 9kW
- High efficiency: up to 72%
- Flue diameter: 188mm
- Weight: 130kg





Dovre 2700 fireplace with optional canopy and side panels



# 2700

## Woodburning Fireplace



### PRODUCT CODES

DV-2700W Matt Black woodburner with Airwash system

Accessories For canopies, base plinths and side panels see pages 76 & 77

### FINISHES



Traditional Matt Black



Intricate depiction of the Billy Goats Gruff tale on high quality inner castings



Whether you install the 2700 a part of an inglenook setting or build it into a fireplace this classic Dovre model allows you to enjoy all the character of a real fire with the doors open, or a slower, more efficient combustion with the doors closed. Inserted into a fireplace setting, you can even use the special convection chamber to duct warm air to outlet grilles above the fireplace or even distribute it to other parts of your home.

- All cast iron construction
- Woodburner
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Suitable for use with a room heating convection system
- Maximum heat output: 10kW
- High efficiency: up to 77%
- Flue diameter: 186mm
- Weight: 135kg







# 280

## Gas Stoves

The 280 Gas blends Dovre's pedigree in casting with the latest gas flame technology. Choose from either realistic coal or log-effect fuel effects, the latter sporting a new glowing ember bed feature for the ultimate real fire ambiance. Both fuel effects are available in conventional flue versions, whilst the log effect is also available in a balanced flue model.

The 280 comes with manual control or, for total ease and convenience, upgrade to one of two command remote controls.

- All cast iron construction
- Balanced and Conventional flue with realistic log-effect fire
- Conventional flue models with coal-effect
- Optional remote controls
- High Efficiency: up to 81%
- Max. heat output: 3.6kW (CF)/3.5kW (BF)
- Ignition system requires no electricity supply
- Top or rear flue exit: 125mm (CF)/152mm (BF)
- LPG and Natural Gas versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
- Weight: 50kg (CF)/54.4kg (BF)
- Electric version available, see pages 72 - 73

### FINISHES



Traditional  
Matt Black



Dovre 280 Gas conventional flue version with coal-effect fire.

PRODUCT CODE	FLUE TYPE	GAS TYPE	FUEL EFFECT
DV541-010	CONVENTIONAL FLUE	NATURAL GAS	LOGS
DV541-409	CONVENTIONAL FLUE	LPG	LOGS
DV541-148	BALANCED FLUE	NATURAL GAS	LOGS
DV541-503	BALANCED FLUE	LPG	LOGS
DV-280CFNG	CONVENTIONAL FLUE	NATURAL GAS	COALS
DV-280CFLPG	CONVENTIONAL FLUE	LPG	COALS

### HEAT OUTPUT

#### 280 CONVENTIONAL FLUE (LOG-EFFECT)

**Energy Input:** Nat. Gas: 4.55kW, LPG: 4.55kW

**Heat Output:** Nat. Gas: 3.4kW, LPG: 3.4kW

#### 280 BALANCED FLUE (LOG-EFFECT)

**Energy Input:** Nat. Gas: 4.3kW, LPG: 4.3kW

**Heat Output:** Nat. Gas: 3.5kW, LPG: 3.5kW

#### 280 CONVENTIONAL FLUE (COAL-EFFECT)

**Energy Input:** Nat. Gas: 4.6kW, LPG: 4.4kW

**Heat Output:** Nat. Gas: 3.6kW, LPG: 3.2kW

### OPTIONAL REMOTE CONTROLS†



8455: Standard (Left)

8456: Programmable (Right)

† Once the pilot has been ignited manually, the Standard remote control allows you to vary the flame height and heat output from your armchair. The Programmable version also enables you to set the stove to switch itself on and off twice a day, to the temperature you select, so that you can wake up or come home to a cosy room and glowing fire.

# 425

## Gas Stoves



Dovre 425 Gas in traditional Matt Black

PRODUCT CODE	FLUE TYPE	GAS TYPE	FUEL EFFECT
DV-425CFNG	CONVENTIONAL FLUE	NATURAL GAS	LOGS
DV-425CF LPG	CONVENTIONAL FLUE	LPG	LOGS
DV-425BFNG	BALANCED FLUE	NATURAL GAS	LOGS
DV-425BF LPG	BALANCED FLUE	LPG	LOGS

### HEAT OUTPUT

#### 425 CONVENTIONAL FLUE

**Energy Input:** Nat. Gas: 6.6kW, LPG: 6.4kW

**Heat Output:** Nat. Gas: 5.3kW, LPG: 5.1kW

#### 425 BALANCED FLUE

**Energy Input:** Nat. Gas: 6.45kW, LPG: 6.1kW

**Heat Output:** Nat. Gas: 5.3kW, LPG: 5.0kW



#### OPTIONAL REMOTE CONTROLS†

8455: Standard (Left)

8456: Programmable (Right)

† Once the pilot has been ignited manually, the Standard remote control allows you to vary the flame height and heat output from your armchair. The Programmable version also enables you to set the stove to switch itself on and off twice a day, to the temperature you select, so that you can wake up or come home to a cosy room and glowing fire.

Incorporating up-to-the-minute gas fire technology, Dovre's 425 Gas stove features all the charm and atmosphere of a superb log-effect fire with exceptionally realistic glow and gently dancing flames. It is available in both balanced flue and conventional flue versions with top or rear flue exits, natural gas or LPG variants and remote control options and you should be able to find the perfect stove for your home.

- All cast iron construction
- Realistic log-effect fire
- Conventional and Balanced flue versions
- Optional remote controls
- High Efficiency: up to 80%
- Max. heat output: 5.3kW
- Ignition system requires no electricity supply
- LPG and Natural Gas versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
- Top or rear flue exit: 125mm (CF)/152mm (BF)
- Weight: 74kg (CF)/81.5kg (BF)
- Multi-fuel, Wood & Electric versions also available, see pages 8 - 9 and 74 - 75

#### FINISHES



Traditional Matt Black













# 280

## Electric Stoves

If you do not have a chimney or want to locate a stove in a space where it would be difficult to install a flue then the electric version of the 280 could be the answer. Once plugged in to a normal 13amp socket, you simply use the remote control to turn it on or off, adjust the heat between the 1kW or 2kW settings or to select one of three flame brightness levels using the unique VeriFlame™ technology. The additional option of a subtle blue flame effect on the highest level makes the stove's 'log' fire one of the most authentic available. It truly is real fire ambience at the press of a button!

- All cast iron construction
- Exceptionally realistic log-effect with hand painted fuel bed and logs
- Choose from three brightness levels using unique VeriFlame™ technology
- Flame effect can be operated with or without heat output
- High Efficiency: 99%
- Discreetly concealed fan heater with 1kW and 2kW settings
- Requires no flue, hearth or chimney
- Plugs into standard 13amp socket
- Safe to use in most locations around the home or conservatory
- Can be moved from room to room
- Weight: 50kg
- Gas version also available, see pages 68 - 69



Dovre 280 Electric in traditional Matt Black

### PRODUCT CODE

DV-280E Matt Black, log-effect fire

### FINISH

 Traditional Matt Black



REMOTE CONTROL SUPPLIED

 VeriFlame TECHNOLOGY



# 425

## Electric Stoves



Dovre 425 Electric in traditional Matt Black

### PRODUCT CODES

DV-425E Matt Black, log-effect fire

### FINISHES



Traditional  
Matt Black



REMOTE CONTROL  
SUPPLIED

**VeriFlame**  
TECHNOLOGY



Instant glow, instant flames and instant heat, that's the promise of the impressive 425 Electric. You can select from three different flame brightness levels using unique VeriFlame™ technology to provide your ideal style of fire, including the additional blue flame effect on the high setting. There are even reflective sides to ensure the flames appear realistic from all angles so - whether you use the built-in fan heater or not - you can enjoy a perfect picture of warmth at anytime.

- All cast iron construction
- Exceptionally realistic log-effect with hand painted fuel bed and logs
- Choose from three brightness levels using unique VeriFlame™ technology
- Flame effect can be operated with or without heat output
- High Efficiency: 99%
- Discreetly concealed fan heater with 1kW and 2kW settings
- All functions operated from remote control
- Requires no flue, hearth or chimney
- Plugs into standard 13amp socket
- Safe to use in most locations around the home or conservatory
- Can be moved from room to room
- Weight: 74kg
- Multi-fuel, Wood & Gas versions also available, see pages 8 - 9 and 70 - 71






# Canopies

## Plinths & Side Panels

Our range of canopies, plinths & side panels has been specially designed to complement Dovre appliances whether installed freestanding in an inglenook or a recessed fireplace. They are manufactured to the highest standards & help ensure a lifetime of fireside pleasure.



## Inglenook Canopies with black studs

All dimensions are quoted in millimetres

### 1800 FIREPLACE

CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CM1	Small 1800 Canopy*	325	530	260	310	145
DV-CM2	Medium 1800 Canopy	700	685	260	460	235
DV-CM3	Tall 1800 Canopy	950	685	230	460	235

### 2000 & 2700 FIREPLACES

CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CS1	Small 2700 Canopy*	360	710	410	400	260
DV-CS2	Medium 2000/2700 Canopy	685	900	350	570	300
DV-CS3	Tall 2000/2700 Canopy	1070	900	300	560	290

### 'COUNTRYMAN' FOR 2000 & 2700 FIREPLACES

The Traditional 'olde worlde' styled canopy with heavy, more rugged, black studded strap trim


CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CS5	Countryman Canopy	1070	900	300	560	290

### 2400 FIREPLACES

CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CC1	2400 Canopy	805	755	300	535	260

\* Small canopies are not suitable when used with side panel units





## 1800, 2000, 2400 & 2700 Fireplaces

All dimensions are quoted in millimetres

### PLINTH

Designed to improve convection on appliances used in freestanding installations, base plinths will also enhance the visual appearance of your fireplace

CODE	DESCRIPTION	HEIGHT	WIDTH	DEPTH
DV-MBP	1800 Base Plinth (Black)	80	510	315
DV-SBP	2000/2700 Base Plinth (Black)	80	725	485

### SIDE PANELS UNITS

For use with freestanding type installations where the sides of the appliance may be exposed to view, for example with an extra wide inglenook.

CODE	DESCRIPTION	HEIGHT	WIDTH	DEPTH
DV-SP1	1800 Side Panel Unit (Black)	470	530	290
DV-SP2	2700 Side Panel Unit (Black)	740	720	400
DV-SP3	2000 Side Panel Unit (Black)	780	720	350
DV-SP5	2400 Side Panel Unit (Black)	520	635	400

### FLUE ADAPTORS

CODE	DESCRIPTION	FLUE PIPE DIAMETER
DV-MFA	1800 Flue Adaptor	5 1/4" - 6" (134 - 153)
DV-SFA	2000/2700 Flue Adaptor	7 1/4" - 8" (185 - 204)

# Accessories & Stove Care



## Care of your Stove or Fireplace

To help you get the best performance from your stove or fireplace and keep it in good condition, inside and out, Stovax (Dovre's distributor in the UK and Republic of Ireland) offers a wide range of cleaning and maintenance products. Stovax also supplies a wide variety of fireplace accessories. Your Dovre retailer will be able to give you full details or you may view the complete range at [www.stovax.com](http://www.stovax.com).



## Fireplace, Stove and Hearth Accessories

Included in the brochure is an outstanding selection of fireplace and stove tools. Expertly crafted with a variety of styling options and available in wrought iron, black, brass and chrome finishes, this exquisite range of accessories comprises individual tools alongside complete companion sets. There are also a number of classically designed pails, scuttles and holders for your coals, logs and kindling – functional and stylish accompaniments to your Dovre stove or fireplace.



## Fire Screens and HearthGate

Stovax offers a wide range of fire screens that combine looks with practicality. Whether your Dovre appliance is traditional or contemporary in styling, you can find a fire screen that not only complements your stove or fire, but also helps keep you safe. Available in an array of designs and materials, including glass, black steel and brass plated, these fire screens are the perfect companion for your Dovre fire or stove.





# Contemporary Fire Tools and Steel Log Holders

For more modern interiors, Stovax has developed a range of contemporary fire tools and log holders. That are both sturdy and attractive. These minimalist accessories offer a superb pairing to Dovre's range of contemporary stoves such as the Vintage, Sense and Astroline stoves. See pages 5, 19, 22, 25, 28, 32, 44 and 52 for contemporary tools and log holders in situ.



Sense 200 in Pure White enamel

## Sense and Astroline Heat Shields

Dovre also offer a range of highly effective Heat Shields for the Astroline 3CB and 4CB and Sense stoves. These fantastic additions allow a reduction in the distance to combustible materials at the rear and sides of the stoves as shown below.

The Dovre Heat Shields not only maximise the available space within the room, but they also enable you to accommodate a wider range of materials in your interior design. For further information please speak to your local Dovre retailer

### Distances to combustible materials when fitted with Dovre Heat Shield:

STOVE	DISTANCE FROM REAR	DISTANCE FROM SIDES
Astroline 3CB	100mm	300mm
Astroline 4CB	100mm	400mm
Sense 100, 103 110 & 113	100mm	500mm
Sense 200 & 203	100mm	500mm

## Traditional and Contemporary Mantels

Stovax also offer a wide range of mantelpieces forming the perfect complement to many of the Dovre stoves and fires shown in this brochure. Choose from a wide selection of wood, cast iron or natural stone mantels in a choice of both historic and contemporary designs, each handcrafted to the highest quality finish. To view the extensive range on offer, please visit [www.stovax.com](http://www.stovax.com) to view and download the Stovax Classic Fireplaces brochure.



# Dimensions

---




Dovre 250 multi-fuel stove in Ivory White Enamel shown with Claremont Limestone mantel available from Stovax




# Correct Installation

A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. The below information is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at [www.dovre.co.uk](http://www.dovre.co.uk)


## P6/7 | 250 Wood & Multi-Fuel Stoves




## P12/13 | 760CB Wood Stove




## P8/9 | 425 Multi-Fuel Stoves




## P14/15 | 225 Wood & Multi-Fuel Stoves



## P10/11 | 640CB Wood Stove




## P16/17 | 525 Wood & Multi-Fuel Stoves




# Dimensions


## P18/19 | Tai 35 Wood Stove




## P22/23 | Sense 110 & 113 Wood Stoves




## P18/19 | Tai 45 Wood & Multi-fuel Stoves




## P24/25 | Sense 200 & 203 Wood Stoves



## P20/21 | Sense 100 & 103 Wood Stoves



## P26/27 | Vintage 30 Wood Stove







# Correct Installation

A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. The below information is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at [www.dovre.co.uk](http://www.dovre.co.uk)


## P28/29 | Vintage 35 Wood Stove




## P30/31 | Vintage 50 Wood Stove



## P32/33 | Brut Wood Stoves




## P34/35 | Bold 300




Bold 400 in Grey enamel

# Dimensions


P36/37 | Bold 400




P40/41 | Bow with Pedestal




P38/39 | Rock 350




P42/43 | Astroline 2CB Wood Stove



P40/41 | Bow on Legs



P44/45 | Astroline 2CB Wood Stove with Pedestal







# Correct Installation

A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. The below information is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at [www.dovre.co.uk](http://www.dovre.co.uk)


## P44/45 | Astroline 2CB Wood Stove with Wood Store




## P50/51 | Astroline 350CB Wood Stove




## P46/47 | Astroline 3CB Multi-Fuel & Wood Stoves




## P50/51 | Astroline 350CB/3 Wood Stove



## P48/49 | Astroline 4CB Multi-Fuel & Wood Stoves




## P52/53 | Astroline 360CB Wood Stove




# Dimensions


P52/53 | Astroline 360CB/3 Wood Stove




P58/59 | 2520 Cassette Fire




P54/55 | Zen 100 Cassette Fire†




P60/61 | 1800 Multi-Fuel Fireplace†



P56/57 | Zen 102 Double-Sided Cassette Fire†



P62/63 | 2000 Multi-Fuel Fireplace†







# Correct Installation

A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. The below information is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at [www.dovre.co.uk](http://www.dovre.co.uk)

## P64/65 | 2400CB Wood Fireplace†




## P70/71 | 425 Gas Stoves




\*To end of rear flue spigot. Installation instructions with information on balanced flue configurations are available from [www.dovre.co.uk](http://www.dovre.co.uk)


## P66/67 | 2700 Wood Fireplace†




## P72/73 | 280 Electric Stoves



## P68/69 | 280 Gas Stoves



## P74/75 | 425 Electric Stoves



\*To end of rear flue spigot. Installation instructions with information on balanced flue configurations are available from [www.dovre.co.uk](http://www.dovre.co.uk)





# Further Information

---

## Warranty Information

Your Dovre retailer will provide you with a Five Year Warranty for your new stove castings and a Two Year Warranty on steel parts and gas and electric 'engines' used in stoves and fires. The continuation of the warranty is dependant on your appliance being serviced by an appropriately qualified person 12 months after installation and annually thereafter. Please note, these warranties exclude certain consumable and naturally wearing parts such as grates, baffles, firebricks and glass. Full details are on our website at [www.dovre.co.uk](http://www.dovre.co.uk)



## Product Improvement and Safety Information

Dovre reserves the right to amend any specifications herein or to make any product design changes.

Please note that all parts of these stoves and fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm. Furthermore, by law all installations also require a Carbon Monoxide Monitor be supplied and fitted.

## Photography and Installation

Please note that, due to studio lighting and the limitations of the printing process, colour reproduction of enamel finishes may vary from actual product. Please consult your Dovre retailer for more accurate colours.

All of the flame pictures shown in this brochure are taken from real fires. Please note however that flame pictures will vary depending on the exact fuel used, flue conditions and surrounding geographical features. Given that building regulations are subject to constant change, some of the photography in this brochure may not comply with the requirements of the latest Building Regulations and you should always check your proposed installation arrangement with your HETAS trained installer before proceeding. Certain settings in this brochure are dependant on the use of heat shields to reduce the required separation from combustible material. When designing your own installation, please observe the minimum distance to combustible materials as stated in the installation instructions.

The 'Nominal' heat output is to be used for calculating the ventilation provision as required by ADJ Building Regulations and for calculating its suitability for heating the size of room it will be fitted into. The heat output 'Range' is to be used as a guide only as the maximum and minimum performance will depend on local conditions such as flue pull, fuel quality and the way in which the product is used.

**Please note:** The operation and appearance of gas appliances depends on variable factors such as the gas pressure supplied.

---





Stovax gratefully acknowledges the assistance of the following companies with photographic settings:

Amos Lighting - [www.amoslighting.co.uk](http://www.amoslighting.co.uk) • Apple Conservatories - [www.appleconservatories.com](http://www.appleconservatories.com) • Ashore - 01392 477763 • Carpet Right - [www.carpetright.com](http://www.carpetright.com)  
Debenhams - [www.debenhams.com](http://www.debenhams.com) • Eclectique - [www.eclectique.co.uk](http://www.eclectique.co.uk) • Fagins Antiques - [www.faginsantiques.com](http://www.faginsantiques.com) • Farmington Stone Fireplaces - [www.farmington.co.uk](http://www.farmington.co.uk)  
Furniture Village - [www.furniturevillage.co.uk](http://www.furniturevillage.co.uk) • John Lewis - [www.johnlewis.com](http://www.johnlewis.com) • Just Shutters - [www.justshutters.co.uk](http://www.justshutters.co.uk) • McBains Antiques - 01392 366261  
Toby's Antiques - [www.tobysreclamation.co.uk](http://www.tobysreclamation.co.uk) • House of Fraser - [www.houseoffraser.co.uk](http://www.houseoffraser.co.uk) • Laura Ashley - [www.lauraashley.com](http://www.lauraashley.com)  
Merchant House Antiques - [www.merchanthouseantiques.co.uk](http://www.merchanthouseantiques.co.uk) • Pedlars - [www.pedlars.co.uk](http://www.pedlars.co.uk) • Orange Tree - [www.theorangetree.co.uk](http://www.theorangetree.co.uk) • Original Style - [www.originalstyle.com](http://www.originalstyle.com)  
Pilgrim Antiques - [www.pilgrimantiques.co.uk](http://www.pilgrimantiques.co.uk) • Romo - [www.romo.com](http://www.romo.com) • St Bridget Nurseries - [www.stbridgetnurseries.co.uk](http://www.stbridgetnurseries.co.uk) • The Very Vintage Hire Company - [www.veryvintagehire.co.uk](http://www.veryvintagehire.co.uk)

# Flue Pipe and Chimney Systems

For the fully colour coordinated installation of your stove, and optimum performance, we offer high quality enamel coloured flue pipe. However, please note that due to the different production processes we cannot guarantee a perfect match between pipe and stove. The flue pipe diameters required for each model are demonstrated on the product pages.



	STOVAX MATT BLACK*	DOVRE BLACK ENAMEL	DOVRE IVORY ENAMEL	STOVAX IVORY ENAMEL*
<b>127mm diameter</b>			 Suitable for Ivory Enamel finish traditional stoves	 Suitable for Ivory White Enamel finish stoves & Vintage White enamel
305mm (1') straight without door	4500	DV-F512BLK	DV-F512IV	4500IV
610mm (2') straight without door	4501	DV-F524BLK	DV-F24IV	4501IV
915mm (3') straight without door	4502	DV-F536BLK	DV-F536IV	4502IV
915mm (3') straight with door	4506	DV-FD536BLK	DV-FD536IV	4506IV
90° bend without door	-	DV-FE590BLK	DV-FE590IV	-
135° bend without door	4537	-	-	4537IV
135° bend with door	4512	DV-FED545BLK	DV-FED545IV	-
Tee + end cap	4516	DV-FT5BLK	-	4516IV
125mm - 150mm increaser	4518	DV-F5-6INCLBK	-	-
<b>152mm diameter</b>				
305mm (1') straight without door	4600	DV-F612BLK	DV-F612IV	4600IV
610mm (2') straight without door	4601	DV-F624BLK	DV-F624IV	4601IV
915mm (3') straight without door	4602	DV-F636BLK	DV-F636IV	4602IV
915mm (3') straight with door	4606	DV-FD636BLK	DV-FD636IV	4606IV
90° bend without door	-	DV-FE690BLK	DV-FE690IV	-
135° bend without door	4637	DV-FE645BLK	DV-FE645IV	4637IV

\* Supplied from Stovax. Stovax Ivory enamel flue pipe is a colour match to Dovre's Ivory White enamel traditional stove and Vintage White enamel finish. Please note this is not a match to the Dovre Sense Pure White enamel finish.

## Professional XQ™ Chimney Systems

Stovax (Dovre's distributor in the UK and Republic of Ireland) also offers a comprehensive range of stove and fireplace chimney systems, the Stovax Professional XQ™ collection. Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within.

With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQ™ range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQ™ range carries a 10 year conditional warranty offering complete peace of mind.

For further information or to request a brochure, simply contact your local retailer or visit [www.stovax.com/chimneysystems](http://www.stovax.com/chimneysystems).









United Kingdom & Republic of Ireland distributors for Dovre:

**Stovax Limited**, Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF

**Solid Fuel Trade Sales tel:** 01392 474000

**Gas & Electric Trade Sales tel:** 01392 261900

**Other depts tel:** 01392 474011 • **Fax:** 01392 219932

**E-mail:** [dovre@stovax.com](mailto:dovre@stovax.com) • [www.dovre.co.uk](http://www.dovre.co.uk)

To view the complete range of brochures within the Stovax group, simply scan this code or visit [www.stovax.com](http://www.stovax.com)



Your local Dovre retailer:

£3.00



DOVRE0117

© All material copyright Stovax Ltd 2017 E & O E

Paper sourced from sustainable forests and printed using vegetable based inks

